



PDS SUPPLIER

Documentation v1.2

Documentation of the mobile application for Android, iOS and website.

Dataland Sp. z o. o.

biuro@dataland.pl

TABLE OF CONTENTS

1.	Installation (Android, iOS, WWW).....	2
1.1.	Android	2
1.2.	iOS	3
1.3.	Web Application.....	4
2.	Sign in (Android, iOS, WWW)	5
3.	Reset password (Android, iOS, WWW)	6
4.	Products to verify (Android, iOS, WWW)	7
5.	Product attributes (Android, iOS, WWW)	9
5.1.	Suggest value (Android, iOS, WWW)	11
5.2.	Verify attribute (Android, iOS, WWW).....	12
6.	Upload/Export suggested values (WWW).....	13
7.	Changing password	15
8.	Filtering (WWW)	16
9.	Filtering (Android, iOS).....	17
10.	List of illustrations	18

1. INSTALLATION (ANDROID, IOS, WWW)

It contains tips on how to install applications on mobile devices with Android and iOS and how to access the content of the website.

1.1. ANDROID

The mobile application is available for download in the Google Play store. Users who have mobile devices (phones or tablets) with Android operating system 4.4 or newer have an access to the application. You have to sign in to your Google account for getting an access to the store.




Figure 1.1 – Application installation Android

You can also scan the QR code or click the **Google Play** button below to open PDS Supplier application card in Google Play store.



Figure 1.3 - QR Code Android



Figure 1.3 - Google Play Button

1.2. IOS

The mobile application for iOS system is available to download in App Store. The application can be installed on apple devices with **iOS system in version 11.4 or newer**. You need an apple account for getting an access to the store.





Figure 1.4 - Application installation iOS


1.3. WEB APPLICATION

The web application PDS Supplier is available in the following address: <https://pds.rmgastro.com/Main>




2. SIGN IN (ANDROID, IOS, WWW)


To access the application, you must have an active account of supplier that is created from the PDS PC program in the **Users External** window.



Android



iOS




Web


Figure 2.1 Sign in

3. RESET PASSWORD (ANDROID, IOS, WWW)


The username and email address that is assigned to the account is required to reset the password. After selecting **Reset Password** button, an email will be sent with a link that will redirect you to a website where you can set a new password for your account. The password must be changed within one hour. After the specified time has elapsed, the link becomes inactive and the described activities should be repeated.



Android



iOS



Web

Figure 3.1 - Reset password

4. PRODUCTS TO VERIFY (ANDROID, IOS, WWW)

The table contains products that should be verified by the user. It consists of a header and lines of products. The attribute names are displayed in the header. The attribute name language is set based on the device language. For a web application, the language of the attribute names depends on the language of the website (Web Application). A single row in the table consists of columns that contain attribute values for the given product. The application displays the attributes to which the supplier has rights.

MID	Objednací kód CZ	Originální model	Originální model
304	970757/S	970757/S	Disco BOX
305	970744/S	970744/S	Disco
306	970729/S	970729/S	Disco
307	960707/S	960707/S	Disco
308	970724/S	970724/S	Disco
309	970721/S	970721/S	Disco
610	90430108/rmgastro	TOP 220	TOP
611	90320108/rmgastro	TOP 250	TOP
612	90420108/rmgastro	TOP 300	TOP
1826	960761/S	960761/S	Disco BOX
1827	970760/S	970760/S	Disco

Android

MID	Objednací kód CZ	Originální model	Originální model
304	970757/S	970757/S	Disco DBx
305	970744/S	970744/S	Disco E15
306	970729/S	970729/S	Disco E3 AI
307	960707/S	960707/S	Disco E8 AI
308	970724/S	970724/S	Disco V AK
309	970721/S	970721/S	Disco Z3 AI
610	90430108/rmgastro	TOP 220	TOP-220
611	90320108/rmgastro	TOP 250	TOP-250
612	90420108/rmgastro	TOP 300	TOP-300
1826	960761/S	960761/S	Disco D16x16 5x LEFT GRID + SINGLE BOX
1827	970760/S	970760/S	Disco D16x16 5x LEFT GRID + SINGLE BOX

iOS

MID	Ordering Code CZ	Original designation	Original description	Suppliers gross price	Suppliers discount (%)	Suppliers net price	Packing quantity purchasing	Packaging unit type	Net Height (mm)	Gross Height (mm)	Net Weight (kg)	Gross Weight (kg)
304	970757/S	970757/S	Disco DBx 5x LEFT GRID + SINGLE BOX			46.10	1	ks	10	30	0.40	0.45
305	970744/S	970744/S	Disco E15 AK + SINGLE BOX			30.80	1	ks	10	30	0.45	0.45
306	970729/S	970729/S	Disco E3 AK + SINGLE BOX			26.90	1	ks	10	30	0.45	0.45
307	960707/S	960707/S	Disco E8 AL + SINGLE BOX			26.90	1	ks	10	30	0.70	0.75
308	970724/S	970724/S	Disco V AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40
309	970721/S	970721/S	Disco Z3 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40
610	90430108/rmgastro	TOP-220	TOP-220			265.13	1	ks	370	460	12.50	14.50
611	90320108/rmgastro	TOP-250	TOP-250			326.55	1	ks	390	460	14.00	16.00
612	90420108/rmgastro	TOP-300	TOP-300			555.45	1	ks	515	560	20.00	23.00
1826	960761/S	960761/S	Disco D16x16 5x LEFT GRID + SINGLE BOX			47.10	1	ks	10	30	0.40	0.45
1827	970760/S	970760/S	Disco D16x16 5x LEFT GRID + SINGLE BOX			47.10	1	ks	10	30	0.40	0.45


Web

Figure 4.1 Products to verify


The attribute value is red when it needs to be verified by the supplier.

Clicking on the table position opens the window with the list of attributes for the selected product.


Provider is able to change the language of attribute descriptions displayed in the header of the list.



Android



iOS




Web


Figure 4.2 Change language

5. PRODUCT ATTRIBUTES (ANDROID, IOS, WWW)


After clicking on the item in the **Products to verify** table, a window with the list of attributes will open.



Android



iOS



Web

Figure 5.1 Product attributes

Each position on the list contains:




Figure 5.3 - Product attributes - Android




Figure 5.4 - Product attributes Android

5.1. SUGGEST VALUE (ANDROID, IOS, WWW)

The supplier can suggest a new value for the displayed attributes. To set a new value, hit the button (Figure 5.8 - Product attributes Android), in the **Product attributes** window, which will launch the editing mode. Then, after clicking the item on the list, a window will appear in which you should enter a new value for the selected attribute. To publish the suggested changes, select the button (Figure 5.10 - Product attributes Android). All values that have been entered in the application will be available to other suppliers who have permissions for these attributes (Figure 5.9 - Product attributes Android).




Figure 5.5 Suggest value

5.2. VERIFY ATTRIBUTE (ANDROID, IOS, WWW)

To verify the attributes, enter the verification mode (Figure 5.10 - Product attributes Android). Then select the attributes that need to be verified. After selecting the attributes, click (Figure 5.13 - Product attributes iOS). Verified attributes will be valid for next 365 days from day when this value has been verified (Figure 5.13 - Product attributes iOS).




Figure 5.6 Verify attributes

6. UPLOAD/EXPORT SUGGESTED VALUES (WWW)

The web application has the function of exporting products with attributes to an Excel file from the product table for verification for suggest a new values. The Excel file generates a table to which the supplier can enter new values for attributes (Figure 6.1 - Products to verify WWW). The table contains a header and products with attributes. The attribute names are displayed in the header. Yellow cells are used to enter the suggested values. It is not recommended to change the table structure in the Excel file, because it will not be possible to correctly import the attributes from the Excel file into the web application.

The screenshot shows the PDS Supplier web application interface. At the top, there is a navigation bar with 'PDS Supplier', 'Change password', and 'Sign out'. Below this is a header area with 'Products to verify', a language dropdown set to 'English', a refresh button, a 'Download to Excel' button (highlighted with a yellow box), an 'Upload from Excel' button with a 'Choose File' input, and a search bar. The main content is a table with the following columns: MID, Ordering Code CZ, Original designation, Original description, Suppliers gross price, Suppliers discount [%], Suppliers net price, Packing quantity purchasing, Packaging unit type, Net Height [mm], Gross Height [mm], Net Weight [kg], Gross Weight [kg], Leadtime [days], Warranty period [months], IS country of origin, Intrastat code, Power electric [kW], Power gas [kW], and Grid [m]. The table contains 8 rows of product data, with the first row highlighted in grey.

MID	Ordering Code CZ	Original designation	Original description	Suppliers gross price	Suppliers discount [%]	Suppliers net price	Packing quantity purchasing	Packaging unit type	Net Height [mm]	Gross Height [mm]	Net Weight [kg]	Gross Weight [kg]	Leadtime [days]	Warranty period [months]	IS country of origin	Intrastat code	Power electric [kW]	Power gas [kW]	Grid [m]
306	970729/S	970729/S	Disco E3 AK + SINGLE BOX			26.90	1	ks	10	30	0.45	0.45	4	27	IT	84389000			22
308	970724/S	970724/S	Disco V AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	84389000			22
309	970721/S	970721/S	Disco Z3 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	84389000			22
1832	970720/S	970720/S	Disco Z2 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	82083000			22
1833	970722/S	970722/S	Disco Z4 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	82083000			22
1834	970723/S	970723/S	Disco Z7 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	82083000			22
1848	970727/S	970727/S	Disco E1 AK + SINGLE BOX			26.90	1	ks	10	30	0.45	0.45	4	27	IT	82083000			22
1849	970728/S	970728/S	Disco E2 AK + SINGLE BOX			26.90	1	ks	10	30	0.45	0.45	4	27	IT	82083000			22

Figure 6.1 - Products to verify WWW

The screenshot shows an Excel spreadsheet with the same data as Figure 6.1. The columns are labeled with attribute names: Ordering Code CZ, Original designation, Original description, Supplier's gross price, Supplier's discount [%], Supplier's net price, Packing quantity purchasing, Packaging unit type, Net Height [mm], Gross Height [mm], Net Weight [kg], Gross Weight [kg], Leadtime [days], Warranty period [months], IS country of origin, Intrastat code, Power electric [kW], Power gas [kW], Gross depth [mm], Net Depth [mm], Gross Width [mm], and Net Width [mm]. The data rows are highlighted in yellow, indicating suggested values. The first row is highlighted in red. The spreadsheet also shows a formula bar at the top with 'G10' and '28.80'.

	Ordering Code CZ	Original designation	Original description	Supplier's gross price	Supplier's discount [%]	Supplier's net price	Packing quantity purchasing	Packaging unit type	Net Height [mm]	Gross Height [mm]	Net Weight [kg]	Gross Weight [kg]	Leadtime [days]	Warranty period [months]	IS country of origin	Intrastat code	Power electric [kW]	Power gas [kW]	Gross depth [mm]	Net Depth [mm]	Gross Width [mm]	Net Width [mm]
1	undefined		Disco E3 AK + SINGLE BOX			26.90	1	ks	10	30	0.45	0.45	4	27	IT	84389000			225	205	220	205
2	11264	970729/S	Disco E3 AK + SINGLE BOX			26.90	1	ks	10	30	0.45	0.45	4	27	IT	84389000			225	205	220	205
3	11264	test	Disco V AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	84389000			225	205	220	205
4	11268	970724/S	Disco V AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	84389000			225	205	220	205
5	11268		Disco Z3 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	84389000			225	205	220	205
6	11270	970721/S	Disco Z3 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	84389000			225	205	220	205
7	11270		Disco Z2 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	82083000			225	205	220	205
8	14316	970720/S	Disco Z2 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	82083000			225	205	220	205
9	14316		Disco Z4 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	82083000			225	205	220	205
10	14318	970722/S	Disco Z4 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	82083000			225	205	220	205
11	14318	test	Disco Z7 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	82083000			225	205	220	205
12	14320	970723/S	Disco Z7 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	82083000			225	205	220	205
13	14320		Disco E1 AK + SINGLE BOX			26.90	1	ks	10	30	0.45	0.45	4	27	IT	82083000			225	205	220	205
14	14348	970727/S	Disco E1 AK + SINGLE BOX			26.90	1	ks	10	30	0.45	0.45	4	27	IT	82083000			225	205	220	205

Figure 6.2 – Excel

To import the boiled Excel file, use the button **Choose file** (Figure 6.4 - Products to verify WWW), which launches the dialog box. In the dialog box, select the prepared Excel file with the extension **.xls**. When the file is sent correctly to the server, select **Upload from Excel** button (Figure 6.3 - Products to verify WWW). Data from the file will be converted and then displayed in the table (Figure 6.5 - Suggested values WWW). The button **Send suggestions** (Figure 6.5 - Suggested values WWW) is used to publish the suggested changes. All entered values are now available for viewing for other suppliers who have permissions for these attributes.




Figure 6.3 – Suggested values PDS Supplier WWW

PDS Supplier																				Sign out	
Suggested changes																			SEND SUGGESTIONS		
Ordering Code CZ	Original designation	Original description	Suppliers gross price	Suppliers discount [%]	Suppliers net price	Packing quantity purchasing	Packaging unit type	Net Height [mm]	Gross Height [mm]	Net Weight [kg]	Gross Weight [kg]	Leadtime [days]	Warranty period [months]	IS country of origin	Intrastat code	Power electric [kW]	Power gas [kW]	Gross depth [mm]	Net Depth [mm]	Gross Width [mm]	Net Width [mm]
970729/S	970729/S test	Disco E3 AK + SINGLE BOX			26.90	1	ks	10	30	0.45	0.45	4	27	IT	84389000			225	205	220	205
970724/S	970724/S	Disco V AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	84389000			225	205	220	205
970721/S	970721/S	Disco Z3 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	84389000			225	205	220	205
970720/S	970720/S	Disco Z2 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	82083000			225	205	220	205
970722/S	970722/S test	Disco Z4 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	82083000			225	205	220	205
970723/S	970723/S	Disco Z7 AK + SINGLE BOX			28.80	1	ks	10	30	0.35	0.40	4	27	IT	82083000			225	205	220	205
970727/S	970727/S	Disco E1 AK + SINGLE BOX			26.90	1	ks	10	30	0.45	0.45	4	27	IT	82083000			225	205	220	205

Figure 6.4 - Suggested values PDS Supplier WWW

7. CHANGING PASSWORD

The feature is available from Settings window on the mobile application iOS and Android (from Products to verify page window on the web page). Before you attempt to change the password, you have to know your current password. You have to keep in mind that the all text fields must be filled.




Figure 7.1 Change password (Mobile)





Figure 7.2 Change password (WEB)

8. FILTERING (WWW)

There are two types of filters:


1. **Main filter** – filter returns rows by scanning all columns in order to find a specific value,



The screenshot shows the PDS Supplier interface. At the top, there is a green header with 'PDS Supplier' on the left and 'Change password' and 'Sign out' on the right. Below the header, there is a dark green bar with 'Products to verify' on the left, a language dropdown set to 'English', a refresh button, a 'Download to Excel' button, an 'Upload from Excel' button with a 'Choose File' button and 'No file chosen' text, and a search bar highlighted with an orange border. Below this bar is a table with the following columns: MID, Ordering Code CZ, Original designation, Original description, Suppliers gross price, Suppliers discount [%], Suppliers net price, Packing quantity purchasing, Packaging unit type, Net Height [mm], Gross Height [mm], Net Weight [kg], and Gross Weight [kg]. The table contains two rows of data.

MID	Ordering Code CZ	Original designation	Original description	Suppliers gross price	Suppliers discount [%]	Suppliers net price	Packing quantity purchasing	Packaging unit type	Net Height [mm]	Gross Height [mm]	Net Weight [kg]	Gross Weight [kg]
304	970757/S	970757/S	Disco D8x8 SX LEFT GRID + SINGLE BOX			46.10	1	ks	10	30	0.40	0.45
305	970744/S	970744/S	Disco F1S AK			30.80	1	ks	10	30	0.45	0.45

2. **Column filter** – filter return rows by scanning a specific column in order to find a specific value. Filter works by entering value into text field below the header of the column.




The screenshot shows the PDS Supplier interface with a column filter applied. The search bar for the 'Ordering Code CZ' column is highlighted with an orange border. The table below shows the results of the filter, with only the row for '970757/S' visible.


MID	Ordering Code CZ	Original designation	Original description	Suppliers gross price	Suppliers discount [%]	Suppliers net price	Packing quantity purchasing	Packaging unit type	Net Height [mm]	Gross Height [mm]	Net Weight [kg]	Gross Weight [kg]
304	970757/S	970757/S	Disco D8x8 SX LEFT GRID +			46.10	1	ks	10	30	0.40	0.45

9. FILTERING (ANDROID, IOS)

Filter works by entering the value into text field. Filter scans all columns in order to find rows with the specific value. For now there is no column filter available in mobile applications.



Android



iOS

Figure 9.1 Filter

10. LIST OF ILLUSTRATIONS

Figure 1.1 – Application installation Android.....	2
Figure 1.3 - QR Code Android	3
Figure 1.3 - Google Play Button	3
Figure 1.4 - Application installation iOS.....	3
Figure 2.1 Sign in.....	5
Figure 3.1 - Reset password.....	6
Figure 4.1 Products to verify.....	7
Figure 4.2 Change language.....	8
Figure 5.1 Product attributes.....	9
Figure 5.2 - Product attributes WWW	10
Figure 5.3 - Product attributes - Android.....	10
Figure 5.4 - Product attributes Android.....	10
Figure 5.5 Suggest value	11
Figure 5.6 Verify attributes.....	12
Figure 6.1 - Products to verify WWW	13
Figure 6.2 – Excel	13
Figure 6.3 – Suggested values PDS Supplier WWW	14
Figure 6.4 - Suggested values PDS Supplier WWW.....	14
Figure 7.1 Change password (Mobile)	15
Figure 7.2 Change password (WEB).....	15
Figure 9.1 Filter	17